We Claim:

1. A blood processing system comprising

a first container to receive blood for centrifugal processing into a first component and a second component comprising plasma,

a second container to receive/the second component from the first container, and,

a filter to remove cellular species from the second component.

A blood processing system according to 2. claim 1

wherein the first component comprises red blood cells.

A blood processing system according to claim 1

including a filter further leukocytes from the first component in a downstream flow direction from the first container.

A blood processing system according to claim 1

further/ including a filter to leukocytes from/blood in an upstream flow direction from the first/container.

/A blood processing system according to claim 1

further including a transfer container to receive the first component from the first container.

6. A blood processing system according to claim 5

further including a filter located between the first container and the transfer container to remove leukocytes from the first component.

A blood processing system according to claim 1

filter remove cellular wherein the to species from the second component is located/in an upstream flow direction from the second container.

A blood processing system according to claim 1

remove cellular wherein the filter to species from the second component is /located between the first container and the second container.

A blood processing system according to 9. claim 1

filter/ to remove cellular wherein the species from the second component is located in a downstream flow direction from the second container.

10. A blood processing system according to claim 1

inc/uding transfer container further a communicating with the second container downstream flow direction from the second container.

A blood processing system according to claim 10

filter to remove cellular wherein the species from the second component is located between the second container and the transfer container.

A blood processing system according to claim 1

further including an auxiliary container holding an additive solution.

A blood processing system according to 13. claim 12

wherein the auxiliary container communicates

with the first container.

14. A blood processing system according to claim 12

wherein the auxiliary container communicates with the second container.

15. A blood processing system according to claim 14

wherein the filter to remove cellular species from the second component is located between the second container and the auxiliary container.

16. A blood processing system according to claim 12

wherein the auxiliary container communicates with both the first and second containers.

17. A blood processing system according to claim 16

wherein the filter to remove cellular species from the second component is located between the second container and the auxiliary container.

18. A blood processing method comprising processing whole blood using a system as defined in claim 1.

wh